


BUSINESS BROCHURE
EV CHARGER



AC SERIES II

Standard Fast EV Charger

AC Portable 3.5/7/11/22KW

KP-A3S-II


KP-A7S-II

KP-A11S-II

KP-A22S-II



Key Benefits



Overvoltage
Protection



Undervoltage
Protection



Lightning
Protection



IP65



Overtemperature
Protection



Fully
Certified



Grounded/
Ungrounded



HCI



Overcurrent
Protection



OTA



Bluetooth/
WIFI



Leakage
Protection

PRODUCT PARAMETERS

GB/T

Input Voltage	220Vac ± 20% / 380Vac ± 20%
Product Size	206*80*56 mm
Input Current	16A/32A
Rating	3.5kW/7kW/11kW/22kW
Leakage Type	A
Operating Tumidity	5%~95% condensationless
Operating Temperature	-25 °C~+50 °C
Functional Support	Indicator light, time reservation, grounding option, current regulation, Bluetooth/WIFI (optional)
Protective Function	Over-voltage protection, over-current protection, leakage protection, over-temperature protection, lightning protection, etc.

Type 2

Input Voltage	230Vac±20%/400Vac±20%
Product Size	206*80*56 mm
Input Current	16A/32A
Rating	3.5kW/7kW/11kW/22kW
Leakage Type	AC or A+DC6mA(optional)
Operating Tumidity	5%~95% condensationless
Operating Temperature	-25 °C~+50 °C
Functional Support	Indicator light, time reservation, grounding option, current regulation, Bluetooth/WIFI (optional)
Protective Function	Over-voltage protection, over-current protection, leakage protection, over-temperature protection, lightning protection, etc.

Type 1 / NACS

Input Voltage	240Vac±20%
Product Size	206*80*56 mm
Input Current	16A/32A/40A
Rating	3.8kW/7.6kW/9.6kW
Leakage Type	A or CCID20(optional)
Operating Tumidity	5%~95% condensationless
Operating Temperature	-25 °C~+50 °C
Functional Support	Indicator light, time reservation, grounding option, current regulation, Bluetooth/WIFI (optional)
Protective Function	Over-voltage protection, over-current protection, leakage protection, over-temperature protection, lightning protection, etc.



3.5KW



7KW



11KW



22KW



KEVO POWER - EV Charger Solutions Provider

Online: kevopower.com

Email: info@kevopower.com

WhatsApp: +86 15986673554

Address: Tianlilai Industrial Park, Dalingshan, Dongguan City,
Guangdong Province, China

